3   DECISION CODE

3.1   MAIN FLOW

1   DECISION — THE MAIN ENTRY IN THIS CODING STRATEGY

2   PROCEVENT()

3   RESULTSTATUS.IS_SET()
YES

4   NO   RETURN TO RIC — LET RIC PERFORM NEXT CODING STEP/ EARLY DECISION

5   CHECKCODING () — DETERMINE; IF ADDITINAL CODING STEPS ARE NECESSARY BEFORE FINAL DECISION CAN BE MADE

6   RESULTSTATUS.IS_SET()
YES

7   NO   RETURN TO RIC — LET RIC PERFORM NEXT CODING STEP/ EARLY DECISION

8   PPDECISION () — DETERMINE
- SORTING RESULT
- LABEL TO GENERATE
- HARDCOPY NOTIFICATION
- ELECTRONIC ACS

9   RESULTSTATUS == RS_MORECODING
YES

10   NO   RESULTSTATUS.CLEAR(); — MORE CODING FOR DECISION NEEDED

11   RETURN TO RIC — LET RIC PERFORM NEXT CODING STEP/ FINAL DECISION

FIG 1a

12

```
#INCLUDE "INTERFACE.CPP"

VOID PROCEVENT();              //CODING
VOID CHECKCODING();            //CODING
VOID UAA_DUETOMOVE();          //UAA_MOVE
VOID DECIDENIXIE();            //NIXIE
VOID POSTPROC();               //POST_PROC
```

13

```
RETURN
TO RIC
```

14

```
TRACEVAR (RESULTSTATUS);
TRACEVAR (UPDATEDSU);
```

15

```
POSTPROC()                    DO SOME STATISTIC
```

16

```
LET RIC PERFORM NEXT
CODING STEP/DECISION
```

FIG 1b

3/3

ZEICHNUNG DES
ABLAUFDIAGRAMMS 20

BRIEFBILD 21

ATTRIBUTE
(NAMEN UND
AKTUELLE
WERTE)
22

AUFRUFLISTE
DER
FUNKTIONEN
23

AUSGABEN
IM LOGFILE
24

KAPITELINDEX 25
• AKTUELLES KAPITEL
• LISTE ALLER KAPITEL

FIG 2